

## NOTES:

- 1. SUBSTRATE: Fused Silica (Corning 7980)
- 2. RoHS COMPLIANT
- 3. SURFACE S2 TO BE PARALLEL WITH SURFACE S 1 TO WITHIN ACRMINS
- 4. Coating (Apply Across Clear Aperture): \$1 & \$2: None





5.\ FINE GROUND SURFACE



## DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

|                  | \$1                 | \$2                 |                        |    |        | <b>P</b> ® <b>⊢</b> ı                                     | <b>^</b> '' °     |
|------------------|---------------------|---------------------|------------------------|----|--------|---|-------------------|
| Shape            | Plano               | Plano               |                        |    |        | $ lap{\Gamma}$ Edmund                                     | <b>Uptics</b> ®   |
| Surface Accuracy | 1λ                  | 1λ                  |                        |    |        |   | •                 |
| Surface Quality  | 60-40               | 60-40               | THIRD ANGLE PROJECTION |    | TITLE  | 25.4mm Dia. 1mm Thick Uncoated, 1λ Fused<br>Silica Window |                   |
| Clear Aperture   | 22.86               | 22.86               |                        |    |        |   |                   |
| Bevel            | Protected as Needed | Protected as Needed | ALL DIMS IN            | mm | DWG NO | 25244   | SHEET<br>1 OF 101 |