NOTES:

1. SUBSTRATE:

ZERODUR®

- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO <3 ARCMIN
- 3. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE





ARROW ON EDGE POINTING TOWARD SURFACE \$1



FINE GRIND SURFACE

6. ROHS COMPLIANT





FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2			Edmund Optics®
SHAPE	PLANO	PLANO			
SURFACE FLATNESS	λ/20	N/A			304.80mm Dia. λ/20 ZERODUR® Optical Flat
SURFACE QUALITY	60-40	COMMERICAL POLISH	THIRD ANGLE PROJECTION	TITLE	304.00Hill Bld. N 20 ZEROBOR® Oplical Hall
CLEAR APERTURE	Ø274.32	Ø 274.32			CLIFET
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN mm	DWG NO	71111000 SHEET 16 OF 20