


NOTES:

- 1. SUBSTRATE:
SAPPHIRE (AL2O3)
- 2. SURFACE S2 TO BE PARALLEL WITH SUFACE S1 TO WITHIN ≤ 3.5 ARMIN
- 3. COATING (APPLY ACROSS CLEAR APERTURE)
S1 & S2: NONE
- 4. FINE GRIND SURFACE
- 5. ROHS COMPLIANT



FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2				
SHAPE	PLANO	PLANO				
CLEAR APERTURE	Ø 18.00	Ø 18.00				
SURFACE FLATNESS	2λ (typical)	2λ (typical)				
SURFACE QUALITY	80-50	80-50				
BIREFRINGENCE (no-ne)	0.008	0.008				
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED				

THIRD ANGLE PROJECTION		TITLE		20mm Dia., 0.2mm Thick, Uncoated, Sapphire Window	
ALL DIMS IN	mm	DWG NO	71227	SHEET 7 OF 12	

EO® Edmund Optics®