


All Products / Optics / Optical Filters / Shortpass Filters

Everix Ultra-Thin OD2 Shortpass Filters See More by Everix




- Flexible Design to Conform to Curved Surfaces
- Scratch Insensitive, Ultra-thin Polymer Construction
- >80% Average Transmission

Common Specifications

Physical & Mechanical Properties

Dimensions (mm):	12.5 x 12.5 ±0.2	Length (mm):	12.50			
Width (mm):	12.50	Clear Aperture (%): >90			
Optical Properties						
Optical Density OD (Average):	2.0 (average)	Transm	nission (%):	>80 (average)		
Cut-Off Tolerance (%):	±3 (typical)					

Technical Information



Products

(mm)	lavelength (nm)	Transmission Wavelength (nm)	Stock Number	Price	Buy
12.5 x 12.5	550.00	400 - 525	#35-893 Clearance Clearance Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.	C\$100.84	7 In Stock

#35-894 Clearance

Clearance Availability is limited, so buy before these 12.5 x 12.5 600.00 400 - 575 C\$100.84 3 In Stock products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.

#35-895 Clearance

Clearance Availability is limited, so buy before these 400 - 620 12.5 x 12.5 650.00 C\$100.84 14 In Stock products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.

#35-896 Clearance

Clearance

Availability is limited, so buy before these

products

disappear.
Sorry, we cannot accept returns.
Receive up to 80%

off select products.

C\$100.84

1 In Stock

#35-897 Clearance

Clearance

Availability is limited, so buy before these products disappear. Sorry, we cannot accept

returns. Receive up to 80% off select products. C\$100.84

5 In Stock

750.00

12.5 x 12.5

12.5 x 12.5

700.00

450 - 670

500 - 720



Copyright 2023, Edmund Optics Inc., 101 East Gloucester Pike, Barrington, NJ 08007-1380 USA Phone: 1-800-363-1992: www.edmundoptics.com